

WORK LIGHTS



LIGHTING SOLUTIONS
FOR HIGH PERFORMANCE

2023

US CATALOG

LIGHTING SOLUTIONS FOR HIGH PERFORMANCE



SCANGRIP is part of Hultafors Group - a global company offering a unique portfolio of premium brands within personal protection, tools, and other equipment for discerning craftsmen. Together, we are on a mission to create a better day for professional users.

Work lights of the future

The sophisticated SCANGRIP work lights are second-to-none and made for the real professional who needs the best tool he can get for the task. The selected product line-up covers various kinds of work light solutions with superior quality across the entire range. These are lights made for work and built to last.

Latest technologies for best performance

SCANGRIP constantly push back the boundaries of LED lighting and battery technology, creating new cutting-edge work lights. We always reach for that

extra brightness, that extra operation time, those little touches that make a real difference when you need the best work light you can get. We guarantee to provide you with only premium products for optimal performance.

Extreme durability and functional design

SCANGRIP work lights are extremely durable and made to last and do the job again and again. The entire product line is sturdy and endures the really demanding working environment which expose both the professional worker and his tools to rough, wet, and dirty conditions. The lights are covered by a high IP protection level to resist even outdoor use in all kinds of weather.



Part of

HULTAFORS GROUP



**WORK
LIGHTS
OF THE
FUTURE**

3
years
warranty

PATENT PROTECTED

Designed by us. Manufactured by us.

One lighting solution for all battery packs

JUST CONNECT

NEW

Compatible with:

AEG
BERNER
BOSCH / AMPSHARE
BOSCH GREEN
DEWALT
EINHELL
FEIN
FESTOOL
FLEX
HAZET
HIKOKI / METABO HPT
HILTI
INGERSOLL
MAKITA
MILWAUKEE
PANASONIC
RIDGID
SNAP-ON
WÜRTH



Use your own 18 V/20 V battery pack for SCANGRIP CONNECT work lights

- Work lights compatible with 18 V/20 V battery packs from all leading power tool brands
- Smart connector with **BATTERY SAFETY SYSTEM**
- Extremely powerful illumination and high durability

With the new SCANGRIP CONNECT series, we have created a range of hybrid and innovative work lights compatible across all leading power tool brands – an outstanding lighting solution never seen before!

We connect the world of power tool batteries and professional work lights providing complete freedom to use a SCANGRIP work light regardless of your battery brand preference.



MAXIMAL FREEDOM

The SCANGRIP CONNECT range is compatible with the METABO/CAS battery system* and all other 18 V/20 V battery packs from leading power tools brands. As something unique, we also offer a POWER SUPPLY which can be used for direct power providing unlimited availability to light. With stands and suspensions available, the work lights can be placed anywhere you need efficient lighting offering complete flexibility at the worksite.

Use your own 18 V/20 V battery pack for SCANGRIP CONNECT work lights



Convert your SCANGRIP CONNECT lamp to a corded model with the POWER SUPPLY



An integrated battery backup function prevents you from being without light at any time

(Applies to NOVA 4 CONNECT, NOVA 10 CONNECT and AREA 10 CONNECT)



*Compatible with METABO / CAS battery system

For METABO / CAS no connector is required

ONE LIGHTING SOLUTION FOR ALL BATTERY PACKS


Scan QR code to see more
about the CONNECT range



SCANGRIP is proud to present a complete range of outstanding
and one-of-a-kind work lights compatible with all 18 V/20 V battery
packs from leading power tool brands worldwide.

CONNECT is compatible
with METABO/CAS
battery system and
all other 18 V/20 V battery
packs from leading power
tool brands by using the
SCANGRIP CONNECTOR.
In addition, the SCANGRIP
POWER SUPPLY can be
used for direct power
providing unlimited
availability to light.



 **NOVA 4 CONNECT**
Work light with BLUETOOTH
providing up to 4000 lumen
IP65

\$ 229

Item no. 03.6101C



 **NOVA 10 CONNECT**
Work light with BLUETOOTH
providing up to 10000 lumen
IP65

\$ 329

Item no. 03.6102C



VEGA 2 CONNECT
Floodlight providing
up to 2000 lumen
IP54

\$ 84

Item no. 03.6106C



VEGA 4 CONNECT
Floodlight providing
up to 4000 lumen
IP54

\$ 149

Item no. 03.6104C





NEW



AREA 10 CONNECT

360° work light with BLUETOOTH providing up to 10000 lumen IP65

\$ 399

Item no. 03.6103C

NEW



Strong built-in nylon strap with hook for suspension



AREA 6 CONNECT

Powerful 360° illumination of the working area providing up to 6000 lumen IP65

\$ 249

Item no. 03.6108C



Bluetooth®



BLUETOOTH light control app with extended functionality



360° flexibility



TOWER 5 CONNECT

Floodlight with built-in tripod providing up to 5000 lumen IP30

\$ 299

Item no. 03.6105C

NEW



SCANGRIP DIFFUSER - provides large dispersion and spreads the light



SCANGRIP DIFFUSER

Fits NOVA 4 CONNECT

\$ 19

Item no. 03.5750



SCANGRIP DIFFUSER-Large

Fits NOVA 10 CONNECT

\$ 24

Item no. 03.5751

Easy and safe mounting with strong magnets

THE WORLD'S MOST DURABLE HANDHELD WORK LIGHTS



BASIC CONNECT
Compact floodlight with
flexible lamp head providing
up to 1000 lumen
IP30

\$ 64

Item no. 03.6109C



Flexible, rotating
lamp head

SCANGRIP DIFFUSER - Medium

NEW



Fits NOVA R and
NOVA 2 CONNECT



\$ 14

Item no. 03.5922



*The original NOVA work lights are the best, most powerful
and sturdy COB LED work lights on the market at all*



NOVA 2 CONNECT
Portable work light
providing
up to 2000 lumen
IP30

\$ 99

Item no. 03.6100C




USB power bank

NOVA MINI
Rechargeable and extremely compact handheld work light with stepless dimmer and strong built-in magnet

1000 lumen
Operation time up to 15 h
IP65

\$ 74

Item no. 03.6010



pat. pend.
SMART GRIP 4 in 1



BESTSELLER



NOVA R
Portable, handheld rechargeable work light

Up to 2000 lumen
Operation time up to 20 h
IP67

\$ 134

Item no. 03.5456US





USB power bank

STANDS AND SUSPENSIONS

Designed for flexible lighting positioning

C

To give you maximum flexibility, we have made a complete concept of accessories that allow you to place the lamps exactly where you need it wherever you are.



MAGNET BRACKET

For flexible positioning of NOVA 4 CONNECT on any magnetic surface

\$ 34

Item no. 03.5390



MAGNET BRACKET - Large

For flexible positioning of NOVA 10 CONNECT on any magnetic surface

\$ 54

Item no. 03.5391

DUAL BRACKET

Dual bracket for positioning of two lamps on TRIPOD



\$ 29

Item no. 03.5308


SCAFFOLDING BRACKET

For flexible positioning on scaffoldings or any round object ø40-50 mm



\$ 44

Item no. 03.5341



WHEEL STAND

Mobile positioning of work light

Max load 22 lbs
Weight 14.6 lbs

\$ 199

Item no. 03.5682



TRIPOD

High stability tripod made of durable and sturdy powder coated steel

Max load 22 lbs
Weight 13 lbs

\$ 159

Item no. 03.5431

SCANGRIP®

INNOVATION FROM DENMARK



Follow us at




See all our products at


SCANGRIP.COM


POWERFUL HAND LAMPS WITH FLEXIBLE POSITIONING



RECHARGEABLE HAND LAMPS

- 

ADJUSTABLE HOOKS
- 

STRONG BUILT-IN MAGNETS
- 

FLEXIBLE POSITIONING




MINI MAG PRO

Compact work light with spotlight and stepless dimmer

Up to 200 lumen Spot: 80 lumen
Operation time up to 20 h
IP54

\$ 39

Item no. 03.5692



BESTSELLER

MAG PRO

Work light with spotlight and stepless dimmer

Up to 600 lumen Spot: 150 lumen
Operation time up to 15 h
IP54

\$ 62

Item no. 03.5690



COMPACT WORK LIGHTS FOR YOUR POCKET

RECHARGEABLE PENLIGHTS WITH WORK LIGHT



BESTSELLER


MAG PEN 3

Penlight with work light and adjustable magnet

Up to 150 lumen
Spot: 80 lumen
Operation time up to 20 h
IP20

\$ 36

Item no. 03.5116



Only 9 mm

SLIM

Ultra-slim 3-in-1 inspection work light

Up to 500 lumen
Spot: 100 lumen
Operation time up to 5 h
IP30

\$ 73

Item no. 03.5612



WORK PEN 200 R

High performance penlight with work light

Up to 200 lumen
Spot: 150 lumen
Operation time up to 10 h
IP30

\$ 34

Item no. 03.5127




Powerful work lights for demanding tasks which require efficient illumination.

Built-in magnets and brackets for easy, flexible positioning.

HEADLAMP WITH MAXIMUM FREEDOM TO WORK

BESTSELLER



NEW

I-VIEW
Powerful headlamp with touchless on/off sensor and stepless dimmer function

Upgraded version

Up to 400 lumen
Operation time up to 15 h
IP65

\$ 62

Item no. 03.5626



HARD HAT BRACKET
Bracket for I-VIEW mounting

The bracket fits 03.5626 I-VIEW headlamp
Incl. 3 pcs. ADHESIVE MOUNTING BASES

NEW



\$ 16

Item no. 03.5797

NEW



ADHESIVE MOUNTING BASES
For 03.5797 HARD HAT BRACKET

3 pcs.



\$ 9


Item no. 03.5798

SCANGRIP POWERBANK
Powerbank for recharging any SCANGRIP work light as well as other devices

4000mAh aluminum powerbank
IP20

\$ 39

Item no. 03.5782



**WIDE BEAM ANGLE
ILLUMINATING ENTIRE
WORK AREA**



**STANDARD
headlamp**



**SCANGRIP
headlamp**



NOVA CONNECT series



D	NOVA 2 CONNECT NEW	NOVA 4 CONNECT NEW	NOVA 10 CONNECT NEW
Product number	03.6100C	03.6101C	03.6102C
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED
LED performance, lumen/W	165	160	165
Luminous flux, lumen	200-2000	400-4000	1000-10000
Illuminance, lux@0.5 m	300-3000	600-6000	1600-16000
Adjustable light output	5 levels	5 levels	5 levels
Beam angle	110°	110°	110°
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K
Operating time with max. lumen, h	5.75@18 V 5.2 Ah battery	3@18 V 5.2 Ah battery	1.25@18 V 5.2 Ah battery
Operating time with min. lumen, h	58@18 V 5.2 Ah battery	31@18 V 5.2 Ah battery	12@18 V 5.2 Ah battery
Operating time: backup battery, h	-	2.5@10%/400 lm	1@10%/1000 lm
Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP30	IP65 IP54 with battery cover	IP65 IP54 with battery cover
Impact protection	IK07	IK07	IK07
Impact resistance	39.37 in	39.37 in	39.37 in
Charger input voltage	-	-	-
Power consumption	Max 16 W	Max 30 W	Max 75 W
Battery incl.	No	No	No
Charger incl.	No	No	No
Power supply incl.	No	No	No
Temperature	14 to 104 °F	14 to 104 °F	14 to 104 °F
Dimensions	6.34 x 6.46 x 3.07 in	10.54 x 9.06 x 4.7 in	11.97 x 11.50 x 5.16 in
Net weight	1.59 lb	5.18 lb	8.20 lb
Price	\$ 99	\$ 229	\$ 329

VEGA CONNECT series



D	VEGA 2 CONNECT NEW	VEGA 4 CONNECT NEW	BASIC CONNECT NEW
Product number	03.6106C	03.6104C	03.6109C
Light source	60 LEDs	105 LEDs	30 LEDs
LED performance, lumen/W	189	189	189
Luminous flux, lumen	1000 / 2000 (step 1 / 2)	2000 / 4000 (step 1 / 2)	500 / 1000 (step 1 / 2)
Illuminance, lux@0.5 m	1500 / 3000 (step 1 / 2)	3000 / 6000 (step 1 / 2)	650 / 1300 (step 1 / 2)
Adjustable light output	2 levels	2 levels	2 levels
Beam angle	100°	100°	110°
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K
Operating time with max. lumen, h	4.5@18 V 5.2 Ah battery	2.25@18 V 5.2 Ah battery	9@18 V 5.2 Ah battery
Operating time with min. lumen, h	9@18 V 5.2 Ah battery	4.5@18 V 5.2 Ah battery	18@18 V 5.2 Ah battery
Operating time: backup battery, h	-	-	-
Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP54 with power supply IP30 with battery	IP54 with power supply IP30 with battery	IP30
Impact protection	IK06	IK07	IK07
Impact resistance	39.37 in	39.37 in	39.37 in
Charger input voltage	-	-	-
Power consumption	Max 20W	Max 40 W	Max 10.5W
Battery incl.	No	No	No
Charger incl.	No	No	No
Power supply incl.	No	No	No
Temperature	14 to 104 °F	14 to 104 °F	14 to 104 °F
Dimensions	7.87 x 8.19 x 3.07 in	11.02 x 11.38 x 4.06 in	6.22 x 3.11 x 2.44 in
Net weight	1.87 lb	4.45 lb	0.75 lb
Price	\$ 84	\$ 149	\$ 64



D	AREA 10 CONNECT NEW
Product number	03.6103C
Light source	240 LEDs
LED performance, lumen/W	189
Luminous flux, lumen	360°: 1000-10000 / 180°: 500-5000
Illuminance, lux@0.5 m	300-3000
Adjustable light output	5 levels
Beam angle	360° / 180°
CRI	Ra > 80
CCT	6000 K
Operating time with max. lumen, h	1@18 V 5.2 Ah battery
Operating time with min. lumen, h	22@18 V 5.2 Ah battery
Operating time: backup battery, h	50min@10% / 1000 lm
Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP65 IP54 with battery cover
Impact protection	IK07
Impact resistance	39.37 in
Charger input voltage	-
Power consumption	Max 84 W
Battery incl.	No
Charger incl.	No
Power supply incl.	No
Temperature	14 to 104 °F
Dimensions	15.55 x 7.87 x 4.41 in
Net weight	8.16 lb
Price	\$ 399

	AREA 6 CONNECT NEW
Product number	03.6108C
Light source	160 LEDs
LED performance, lumen/W	189
Luminous flux, lumen	3000 / 6000 (step 1 / 2)
Illuminance, lux@0.5 m	1500 / 3000 (step 1 / 2)
Adjustable light output	2 levels
Beam angle	360°
CRI	Ra > 80
CCT	6000 K
Operating time with max. lumen, h	1.75@18 V 5.2 Ah battery
Operating time with min. lumen, h	6.5@18 V 5.2 Ah battery
Operating time: backup battery, h	-
Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP54 with power supply IP30 with battery
Impact protection	IK07
Impact resistance	39.37 in
Charger input voltage	-
Power consumption	Max 54 W
Battery incl.	No
Charger incl.	No
Power supply incl.	No
Temperature	14 to 104 °F
Dimensions	ø7.68 x 14.29 in
Net weight	4.34 lb
Price	\$ 249

	TOWER 5 CONNECT NEW
Product number	03.6105C
Light source	120 LEDs
LED performance, lumen/W	189
Luminous flux, lumen	2500 / 5000 (step 1 / 2)
Illuminance, lux@0.5 m	4000 / 8000 (step 1 / 2)
Adjustable light output	2 levels
Beam angle	110°
CRI	Ra > 80
CCT	6000 K
Operating time with max. lumen, h	2@18 V 5.2 Ah battery
Operating time with min. lumen, h	4.5@18 V 5.2 Ah battery
Operating time: backup battery, h	-
Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP30
Impact protection	IK07
Impact resistance	39.37 in
Charger input voltage	-
Power consumption	Max 45 W
Battery incl.	No
Charger incl.	No
Power supply incl.	No
Temperature	14 to 104 °F
Dimensions	4.76 x 6.02 x 35.12 in
Net weight	11.46 lb
Price	\$ 299

CONNECTORS **NEW**

D SCANGRIP CO NNECTORs for 18 V/20 V battery packs		Price
AEG/RIDGID US	03.6158C	\$ 15
BERNER	03.6155C	\$ 15
BOSCH / AMPSHARE	03.6140C	\$ 15
BOSCH GREEN	03.6141C	\$ 15
DEWALT	03.6142C	\$ 15
EINHELL	03.6143C	\$ 15
FEIN	03.6144C	\$ 15
FESTOOL	03.6153C	\$ 15
FLEX	03.6145C	\$ 15
HAZET	03.6146C	\$ 15
HIKOKI / METABO HPT	03.6147C	\$ 15
HILTI*	03.6157C	\$ 29
INGERSOLL	03.6152C	\$ 15
MAKITA	03.6148C	\$ 15
MILWAUKEE	03.6149C	\$ 15
PANASONIC	03.6156C	\$ 15
RIDGID	03.6154C	\$ 15
SNAP-ON	03.6151C	\$ 15
WÜRTH	03.6150C	\$ 15

*21.6V



BATTERY SAFETY SYSTEM

- Automatic discharge protection
- Overload protection
- Temperature surveillance
- Protected by design patent
- Approved by TÜV Rheinland



Scan QR code to see TÜV Rheinland test report

Accessories



D	CONNECT POWER SUPPLY
Product number	03.6123C
Battery	-
Cable	5m / 2 x 0.75 mm ² H05RN-F
Charger input voltage	100-240V AC 50/60 Hz
Output power	Max 90 W
Charging time, h	-
Protection class	IP65
Impact protection	IK07
Impact resistance	39,37 in
Temperature	-10 to +40 °C
Dimensions	4.88 x 3.27 x 2.83 in
Net weight	2.20 lb
Compatibility	SCANGRIP CONNECT work lights
Price	\$ 84



CAS BATTERY 18V Li-POWER 5.2Ah	CAS CHARGER SC30	
Product number	03.6121	03.6122
Battery	18 V 5.2 Ah Li-power	-
Cable	-	1.35 m / 2 x 0.75mm ² H03V VH2-F
Charger input voltage	-	220-240V AC 50/60 Hz
Output power	-	Max 30 W
Charging time, h	208 min @100 % with CAS charger 03.6122	-
Protection class	IP20	IP20
Impact protection	-	-
Impact resistance	-	-
Temperature	-10 to +40 °C	32 to 104 °F
Dimensions	4.76 x 3.17 x 2.60 in	5.91 x 5.51 x 2.95 in
Net weight	1.48 lb	1.54 lb
Compatibility	-	12 V-18 V CAS battery
Price	\$ 149	\$ 69



Compatible with METABO / CAS battery system

SCANGRIP is part of the battery alliance METABO / CAS. The Cordless Alliance System (CAS) is a cross-manufacturer battery pack system of leading power tool brands using the powerful CAS battery pack system from METABO.

The SCANGRIP CONNECT concept is based on the further development of the SCANGRIP CAS work lights and all CONNECT products are fully compatible with METABO / CAS battery system without the usage of a connector.

C ACCESSORIES NEW		Product number	Price
	I-VIEW HARD HAT BRACKET Incl. 3 pcs adhesive bases 3.50 x 1.02 x 0.83 in 0.05 lb	03.5797	\$ 16
	ADHESIVE MOUNTING BASES For 03.5797 HARD HAT BRACKET	03.5798	\$ 9

NOVA rechargeable series



A	NOVA MINI	NOVA R
Product number	03.6010	03.5456US
Light source	High efficiency COB LED	High efficiency COB LED
LED performance, lumen/W	155	160
Luminous flux, lumen	100-1000	200-2000
Illuminance, lux@0.5 m	150-1500	300-3000
Adjustable light output	Stepless	5 levels
Beam angle	-	-
CRI	Ra > 80	Ra > 80
CCT	6000 K	6000 K
Operating time with max. lumen, h	1.5	2
Operating time with min. lumen, h	15	20
Charging time, h	5	5
Battery	3.7V / 4000 mAh	7.3V / 4000 mAh Li-ion
Protection class	IP65	IP67
Impact protection	IK07	IK07
Impact resistance	39.37in	39.37in
Cable	39.37in USB	39.37in USB
Charging voltage/current DC	5 V / 1 A	5 V / 2 A
Power consumption	Max 10 W	Max 16 W
Battery incl.	-	-
Charger incl.	No	Yes
Temperature	14°F to 104°F	14°F to 104°F
Dimensions	4.09 x 1.50 x 3.78in	6.42 x 2.48 x 6.42in
Net weight	0.560lb	1.742lb
Price	\$ 74	\$ 134



*80%

MAG series



A	MAG PEN 3	MINI MAG PRO	MAG PRO
Product number	03.5116	03.5692	03.5690
Light source	COB LED Spot: CREE XP-G2	COB LED Spot: High power LED	COB LED Spot: High power LED
LED performance, lumen/W	180	165	185
Luminous flux, lumen	15-150 Spot: 80	20-200 Spot: 80	60-600 Spot: 150
Illuminance, lux@0.5 m	200 Spot: 2000	35-350 Spot: 700	90-900 Spot: 2000
Adjustable light output	Stepless	Stepless	Stepless
Beam angle	-	-	-
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6500 K	6000 K
Operating time with max. lumen, h	2	2	1.5
Operating time with min. lumen, h	20	20	15
Charging time, h	3.5	3	4
Battery	3.7V / 750 mAh Li-ion	3.7V / 1200 mAh Li-ion	3.7V / 2600 mAh Li-ion
Protection class	IP20	IP54	IP54
Impact protection	IK07	IK07	IK07
Impact resistance	39.37in	39.37in	39.37in
Cable	39.37in USB	39.37in USB	39.37in USB
Operating voltage AC	-	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A	5 V / 1 A
Power consumption	Max 2.5 W	Max 2.5 W	Max 6.5 W
Charger incl.	No	No	No
Temperature	14°F to 104°F	14°F to 104°F	14°F to 104°F
Dimensions	6.85 x 1.22 x 0.83in	7.95 x 1.57 x 1.10in	10.2 x 2.44 x 1.73in
Net weight	0.172lb	0.346lb	0.719lb
Price	\$ 36	\$ 39	\$ 62

FLASH LIGHT



SLIM



HEADLAMP



A	WORK PEN 200 R	SLIM	I-VIEW NEW
Product number	03.5127	03.5612	03.5626
Light source	COB LED / CREE	COB LED Spot: High power LED	COB LED
LED performance, lumen/W	120	155	180
Luminous flux, lumen	20-200 Spot: 150	250-500 Spot: 100	40-400
Illuminance, lux@0.5 m	400 Spot: 3500	400-800 Spot: 4800	100-1000
Adjustable light output	Stepless	2 levels	Stepless
Beam angle	105° / 20°	-	120° / 60°
Beam distance	40 m	-	-
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K
Operating time with max. lumen, h	1	2.5	1.5
Operating time with min. lumen, h	10	5	15
Charging time, h	2.5	4.5	3.5
Battery	3.7 V / 650 mAh Li-ion	3.8V/2800 mAh Li-ion	3.8V / 1600 mAh Li-on
Protection class	IP30	IP30	IP65
Impact protection	IK07	IK07	IK07
Impact resistance	39.37in	39.37in	39.37in
Cable	39.37in USB	39.37in USB	39.37in USB
Operating voltage AC	-	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A	5 V / 1 A
Power consumption	4 W	Max 4 W	Max 3.25 W
Charger incl.	No	No	No
Temperature	14°F to 104°F	14°F to 104°F	14°F to 104°F
Dimensions	0.83 x 6.81in	6.50 x 1.73 x 1.10in	3.93 x 1.96 x 1.49in
Net weight	0.119lb	0.494lb	0.352lb
Price	\$ 34	\$ 73	\$ 62

Optional accessory for
03.5626 I-VIEW



NEW

C	POWERBANK
Product number	03.5782
Light source	-
LED performance, lumen/W	-
Luminous flux, lumen	-
Illuminance, lux@0.5 m	-
Adjustable light output	-
Beam angle	-
Beam distance	-
CRI	-
CCT	-
Operating time with max. lumen, h	-
Operating time with min. lumen, h	-
Charging time, h	3
Battery	3.65 V / 4000 mAh
Protection class	IP20
Impact protection	IK07
Impact resistance	1 m
Cable	Spiral cable
Operating voltage AC	-
Charging voltage/current DC	5 V / 2 A
Power consumption	Max 8 W
Charger incl.	-
Temperature	14°F to 104°F
Dimensions	1.10 x 3.93in
Net weight	0.465lb
Price	\$ 39



// SCANGRIP is Europe's leading manufacturer of work lights for professionals providing the strongest and most comprehensive ranges of work lights with the latest LED lighting technology available on the market.

SCANGRIP is innovation from Denmark and receives strong recognition in the marketplace for its product design, and the products are known for their high quality.

SCANGRIP strives for perfection, and is continuously optimizing and improving light output, battery capacity, design and ergonomics, durability, user-friendliness, and functionality. The aim is to set new standards for professional work lights.

SCANGRIP was established in 1906 and has a long, impressive history of manufacturing high-quality hand tools and work lights for the industrial, construction, and automotive sectors.

SCANGRIP is part of Hultafors Group - a global company offering a unique portfolio of premium brands within personal protection, tools, and other equipment for discerning craftsmen. Together, we are on a mission to create a better day for professional users.